

## WISCONSIN

*Total ESRD Incidence      1633*

<b>Primary Diagnosis</b>	<b>Female</b>	<b>Male</b>	<b>N=</b>
Diabetes	301	334	635
Glomerulonephritis	59	94	153
Hypertension	207	259	466
Missing	*	*	11
Other	85	109	194
Other Urologic Causes	21	43	64
Cystic Kidney	22	27	49
Unknown	18	42	60

<b>Primary Diagnosis</b>	<b>Asian</b>		<b>Black</b>		<b>Native American</b>		<b>Other</b>		<b>White</b>		<b>N=</b>
	<i>H</i>	<i>NH</i>	<i>H</i>	<i>NH</i>	<i>H</i>	<i>NH</i>	<i>H</i>	<i>NH</i>	<i>H</i>	<i>NH</i>	
Diabetes	N/A	*	*	97	N/A	28	*	*	36	459	635
Glomerulonephritis	N/A	*	N/A	29	N/A	*	N/A	N/A	*	112	153
Hypertension	N/A	*	N/A	71	N/A	*	*	N/A	*	376	466
Missing	N/A	N/A	N/A	*	N/A	N/A	N/A	N/A	N/A	11	12
Other	N/A	*	N/A	29	N/A	*	*	N/A	*	155	194
Other Urologic Causes	N/A	*	N/A	*	N/A	N/A	N/A	N/A	*	56	64
Cystic Kidney	N/A	N/A	N/A	*	N/A	N/A	*	N/A	*	46	49
Unknown	N/A	*	*	*	N/A	N/A	N/A	N/A	*	49	60

*Source: U.S. Renal Data System, USRDS 2005 Annual Data Report: Atlas of End-Stage Renal Disease in the United States, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD 2005.*